UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/529,642	06/13/2006	Karl-Hans Barnklau	32860-000876/US	1364	
30596	7590 08/22/2007		EXAMINER		
HARNESS, DICKEY & PIERCE, P.L.C. P.O.BOX 8910			BARRERA, RAMON M		
RESTON, VA	20195		ART UNIT PAPER NUMBER		
			2832		
			MAIL DATE	DELIVERY MODE	
			08/22/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

			TH
	Application No.	Applicant(s)	() /
	10/529,642	BARNKLAU ET AL	- ,
Office Action Summary	Examiner	Art Unit	
	Ramon M. Barrera	2832	
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the	correspondence add	dress
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.1: after SIX (6) MONTHS from the mailling date of this communication. - If NO period for reply is specified above, the maximum statutory period vor Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be the state of	N. imely filed in the mailing date of this co ED (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on			
,	action is non-final.		
3) Since this application is in condition for allowar		osecution as to the	merits is
closed in accordance with the practice under E			
Disposition of Claims			
4) ⊠ Claim(s) 1-13 and 17-21 is/are pending in the a 4a) Of the above claim(s) is/are withdray 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-13 and 17-21 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or	wn from consideration.		
Application Papers			
9) ☐ The specification is objected to by the Examine 10) ☐ The drawing(s) filed on 21 March 2005 is/are: Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct	a) accepted or b) objected drawing(s) be held in abeyance. So tion is required if the drawing(s) is o	ee 37 CFR 1.85(a). bjected to. See 37 CF	FR 1.121(d).
11) ☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Uπic	e Action or form P1	U-152.
Priority under 35 U.S.C. § 119			
a) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applica rity documents have been receiv u (PCT Rule 17.2(a)).	tion No ved in this National	Stage
Attachment(s)	0 □ (*** • • • • • • • • • • • • • • • • •	(DTO 442)	
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date <u>3/21/05</u>. 	4) Interview Summar Paper No(s)/Mail I 5) Notice of Informal 6) Other:	Date	

DETAILED ACTION

Drawings

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the auxiliary switch operatable by the contact link support together with the contact, directly or indirectly, by the contact link support without play must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Page 3

Application/Control Number: 10/529,642

Art Unit: 2832

Claim Rejections - 35 USC § 112

- 2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 3. Claims 3 and 4 rejected under 35 U.S.C. 112, second paragraph, as being incomplete for omitting essential structural cooperative relationships of elements, such omission amounting to a gap between the necessary structural connections. See MPEP § 2172.01. The omitted structural cooperative relationships are: the relationship between the "sides" and the claimed elements to which the "sides" refer.
- 4. Claim 13 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Claim 13 should be amended to recite a <u>second</u> additional appliance since a first additional appliance is already recited in the parent claim.

Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 6. Claims 1-13 and 17-21 are rejected under 35 U.S.C. 102(b) as being anticipated by Meriwether.

Meriwether discloses contactor 10 with an electromagnetic drive apparatus (12,16), a contact link support unshown but inherently connected to armature 16,

Application/Control Number: 10/529,642 Page 4

Art Unit: 2832

basic appliance (housing) 24, additional appliance (32,38), extension 22, locking element 58, locking element holder 54, additional switch 70, and an auxiliary switch (col. 3, lines 54-57).

- 7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Lemmer, Bauer, and Emura disclose contactors having locking elements.
- 8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ramon M. Barrera whose telephone number is (571) 272-1987. The examiner can normally be reached on Monday through Friday from 11 to 5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Elvin G. Enad can be reached on (571) 272-1990. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2832

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Ramon M Barrera
Primary Examiner
Art Unit 2832

rmb